



रुरुक्षेत्र गाउँपालिका गाउँ कार्यपालिकाको कार्यालय



च.नं. :

प.सं. : ०८२/०८३

घिउबेंसी, गुल्मी, सुम्बिनी प्रदेश, नेपाल ।

सूचना नं.: ६

स्मार्ट बोर्डको दररेट पेश गर्ने सम्बन्धी सूचना ।

(प्रथम पटक प्रकाशित मिति: २०८२/०४/१५)

चालु आ.व. २०८२/०८३ मा स्मार्ट बोर्ड खरिदको लागि दररेट निर्धारण गरी लागत अनुमान तयार गर्नुपर्ने भएकोले यसै सूचना साथ संलग्न स्पेशिफिकेसन अनुसारको स्मार्ट बोर्डको दररेट प्रचलित कानून बमोजिम इच्छुक सम्बन्धित फर्म वा सप्लायर्सले देहायका कागजातहरूको प्रतिलिपी सहित यो सूचना प्रकाशन भएको मितिले ७ (सात) दिन भित्र यस कार्यालयमा दररेट पेश गर्नुहुन अनुरोध छ ।

देहाय:

१. फर्म दर्ता प्रमाणपत्रको प्रतिलिपी ।
२. स्थायी लेखा नं. वा मु.अ.कर दर्ता प्रमाणपत्रको प्रतिलिपी ।
३. कर चुक्ता प्रमाणपत्रको प्रतिलिपी ।


०८२/०४/१५

लक्ष्मण पाण्डे
प्रमुख प्रशासकीय अधिकृत

Rurukshetra Rural Municipality

Rurukshetra-04, Ghidubesi Gulmi

A.Requirement Official Specification Smart Board

S.N.	Attributes	Specification
	Brand	Must Mention
	Model	Must Mention
1	LED Panel	Size
		75" or Higher
		LED Panel Brand
		BRANDED
		Panel Type
		DLED backlight, antiglare
		Resolution
		3840(H)2160(V) UHD
		Brightness (typ)/(min)
		400 cd/m2 (typ)
		Contrast (typ)
		5000:1 (typ)
		Response Time
		8ms (typ.)
2	SYSTEM	Pixel Pitch
		0.429(H) mm * 0.429(V) mm
		Visual angel
		178 (H) / 178 (V)
		Life Span (typ)
		50,000 hrs (min.) or Above
3	OPS PC	Color saturation (x% NTSC)
		0.65
		Display
		4K Ultra HD display, support full channel 4k UI display
		Display Area
		1649.66(H)mm*927.94(V) mm
		Color
		10 bit 1.07 Billion
		Android
		Android 14 or Higher System
		RAM
		8GB Memory or Higher
		ROM
		128 GB Storage Space or Higher
4	I/O Port	OS
		Android
		GPU
		Mali-G52*4
		CPU
		Quad Core A55 *4,Quad Core Cortex A76*4 1.8 Ghz to 2.4 Ghz or Higher
		Processor
		i7,13" Gen or above
5	Camera	Operating System
		Windows Pre-install/windows 10 or above
		Graphis Card
		Integrated Graphic,Iris® Xe Graphics
		Memory
		8 GB, RAM
		STORAGE
		256 GB, SSD
6	Microphone	Wifi
		Wi-Fi 6
7	Front side key	Bluetooth
		Bluetooth 5.2
8	USB Support file format	Warranty
		Min 1 years
9	Video feature	Android / PC
		MINI-AV, PC AUDIO, VGA, TV-USB2.0, HDMI PORT*2, TF Card Slot for Android, RJ-45, ALL- USB*3, TOUCH USB, USB-PC.C-Type
10	Manual Language	Built in 48 MP Camera
		0-8m with 6 path voice picker (8 Array Microphone)
11	wireless	Computer power supply, TV power supply, signal source, menu, volume+, volume -, energy saving, home page
		Picture: JPEG, BMP, PNG, jpg/bmp/png Video: MPEG1, MPEG2, MPEG4, H264, RM, RMVB, MOV, MJPEG, VCI, DivX, FLV,
12	Support system	Display Mode
		Normal, soft, users, dynamic
13	wireless	3D digital combo filter, 3D image noise reduction, 3D motion adaptive comb filter, etc.
		OSD Language
14	Support system	Multilanguage Optional
		Bluetooth
15	Support system	Version 5.0
		Wifi
16	Support system	Wifi 5
		Support windows 10,8,7/ windows XP/ windows 2000/ Linux UNIX / Windows 8.1(X86) Remarks: OEM exports, default: no OS system when the goods are dispatched, shall be installed by the customer

Laxman Pandey
Chief Administrative Officer



13	Touch Product Name	IR Multi-Touch Frame (50 points)	
14	Touchscreen input	Opaque Objects (e.g. finger, pen etc)	
		Respond Time :<=5ms	
15	Functions	Support dual systems: fast switching between Android and windows systems, multiple signal source selection, Sleep timing, shutdown memory channel function, TV remote control function, F1-F12 function keys commonly used by computer keyboards, one-key child lock, U disk lock function, automatic identification of signal sources and switching channels, dual-stream decoding of 3D content, one-click energy saving	
		Sliding lockable design for protecting interfaces and buttons	
		System Stability	No drift, no change with the environment
		Multi Touch Diameter	5 mm
		Touch Accuracy	± 2mm on more than 95% touch area
16	Optical	Luminousness	Default Ordinary tempered glass(AG I AR glass Optional); 100% without glass, 90% with toughened glass,92% with AR glass
17	Structure		Net weight 65KG or Higher, Gross weight(Carton) 85KG or Higher
16	Accessory	Remote controller *1; Powerline (1.8m)* 1; Touch pen 1; Wall mount1;Certificate *1; Warranty card *1	
18	Electrical Performance	Power Supply	Voltage 100-240v ~50/60 Hz 4A
19		Network Interface	1 adaptive 10/100Mbps WAN port
20	Screen Sharing	Support	
21	Certification and Warranty	ISO 9001 Certified, 1 Year Warranty or More And Support	
22	NFC	Support Screen By Anroid Phones	
23	Light Sensor	Yes	
B.Requirement Specification of Trolley Stand with Locking			
S.N	Specification		
1	High quality foldable and adjustable trolley stand is recommended.		
2	Holding Capacity Up to 100 kg.		

[Signature]

[Signature]
Laxman Pandey
 Chief Administrative Officer